



# SABA Primer 9002

primer for various substrates

## Description

SABA Primer 9002 is a 1-component primer for pre-treating various substrates.

## Field of application

The marine, transport, building and industry sectors. SABA Primer 9002 is very suitable for pre-treating porous and non-porous substrates, metals and plastics. Also suitable as a varnish for SABA MS-polymer products.

## Advantages

- offers good paint adhesion for SABA MS-polymer which is cured
- excellent adherence to porous substrates
- free of isocyanates
- conforms to EN 14188-4

## Method of use

Seal the container as soon as possible after use. For instructions for use, see the relevant SABA info sheets.

## Technical data

<b>Basis</b>	polyacrylate with silanes
<b>Viscosity at 23 °C</b> (EN 12092)	approx. 15 mPa.s
<b>Density</b> (EN ISO 2811-2)	approx. 930 kg/m <sup>3</sup>
<b>Solids content</b>	approx. 11 %
<b>Solvents</b>	mixture of alcohols and aromatics
<b>Drying time (minimum)</b>	approx. 15 minutes
<b>Open time (maximum)</b>	approx. 4 hours
<b>Coverage</b>	approx. 100 g/m <sup>2</sup>
<b>Working temperature</b>	min. + 5 °C to max. + 35 °C
<b>Storage temperature</b>	min. + 5 °C to max. + 35 °C
<b>Temperature resistance</b>	min. - 40 °C to max. + 120 °C

## Order information

<b>Packaging</b>	can with resealable lid	can with resealable lid
<b>Contents</b>	250 ml (contains 12 items)	500 ml (contains 12 items)
<b>Colour</b>	transparent	transparent
<b>Article no.</b>	100482 AAQ	100482 AAT
<b>Shelf life</b>	12 months (in unopened packaging)	12 months (in unopened packaging)

*Other packaging on request. The shelf life may vary for large packaging.*

## Safety recommendations

For more information about safety, see the relevant SABA safety data sheet.



SABA Dinxperlo BV

Industriestraat 3 NL-7091 DC Dinxperlo PO Box 3 NL-7090 AA Dinxperlo T+31 (0) 315 658999 F+31 (0) 315 653989 E info@saba.nl [www.saba.nl](http://www.saba.nl)

*Our recommendations and instructions for use are based on the present status of know-how and technique. Clients and users should evaluate our products by themselves, with regard to utilization and requirements of their own choice. We shall take no responsibility in case our products are not being used subject to our recommendations and/or instructions for use. Furthermore, General Terms and Conditions of SABA Dinxperlo BV, will apply to our recommendations, instructions for use and the delivery of our products.*